




## **Crystal Collection**

Decorative profiles for wall tiling. Made with Swarovski Elements





Wall tile Port black 31,6x90 cm Decorative profile pro-part Crystal SW Gold

# **pro-part Crystal SW Gold** 24 carat gold plated profile. Made with Swarovski Elements



pro-part Crystal SW Gold 11 mm 8x11x2500 mm

### pro-part Crystal SW Silver


Chromed brass profile. Made with Swarovski Elements



pro-part Crystal SW Silver 11 mm 8x11x2500 mm

## **Crystal Collection**

Decorative profiles for wall tiling. Made with Swarovski Elements





Wall tile Derbi Nacar 31,6x90 cm Decorative profile pro-part Li Crystal rock SW Silver

### pro-part Li Crystal rock SW Silver

Chromed brass profile. Made with Swarovski Elements



pro-part Li Crystal rock SW Silver 11 mm 11x11x2500 mm

B73141325 100130429

### pro-part Li Crystal rock SW Graphite

Brass profile with metallic covering. Made with Swarovski Elements




pro-part Li Crystal rock SW Graphite 11 mm 11x11x2500 mm

B73141326 100130428

### **Pearls Collection**

Decorative profiles for wall tiling. Made with Swarovski Elements





Wall tile Mármol blanco 31,6x90 cm Decorative profile pro-part Li Pearls SW Silver

### pro-part Li Pearls SW Gold

24 carat gold plated profile. Made with Swarovski Elements



pro-part Li Pearls SW Gold 11 mm 11x11x2500 mm

### pro-part Li Pearls SW Silver


Chromed brass profile. Made with Swarovski Elements



pro-part Li Pearls SW Silver 11 mm 11x11x2500 mm

## **Elegance Collection**

Decorative profiles for wall tiling. Made with Swarovski Elements






Wall tile Crystal Dark 33,3x100 cm Decorative profile pro-part Li Gold SW 1500

### pro-part Li Gold SW 1500

24 carat gold plated profile. Made with Swarovski Elements



**pro-part Li Gold SW 1500 11 mm** 11x11x2500 mm

B73141324 100130432

### pro-part Li Chrome SW 1500

Chromed brass profile. Made with Swarovski Elements



pro-part Li Chromed brass SW 1500 11 mm 11x11x2500 mm B71342597 100120372

## **Elegance Collection**

Decorative profiles for wall tiling. Made with Swarovski Elements





Line extra blanco 33,3x100 Decorative profile pro-mate 5 Chrome SW Glass

### pro-mate 5 Gold SW Glass

24 k gold plated. Made with Swarovski Elements



pro-mate 5 Gold SW Glass 11 mm 5x11x2500 mm

B71342639 100158911

### pro-mate 5 chrome SW glass


Chromed brass profile. Made with Swarovski Elements



pro-mate 5 latón cromado SW glass 11 mm 5x11x2500 mm

B71342603 100120358

Decorative profiles for wall tiling. Brass profiles with metallic covering.





#### Wall tile Cerdeña Marfil 31,6x90 cm Decorative profile pro-part moon

#### pro-part moon

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass moon 11 mm 8x11x2500 mm B71342591 100120369

### pro-part moon line

Brass profile with metallic covering. 8 mm decorative trim.




pro-part brass moon line 11 mm

B71342634 100158267

8x11x2500 mm

Decorative profiles for wall tiling. Brass profiles with metallic covering.





Wall tile Oxo Garden 31,6x90 cm Decorative profile pro-part ocean

#### pro-part ocean

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass ocean 11 mm 8x11x2500 mm B71342595 100120370

### pro-part ocean line

Brass profile with metallic covering. 8 mm decorative trim.




pro-part brass ocean line 11 mm 8x11x2500 mm

B71342635 100158268

Decorative profiles for wall tiling. Brass profiles with metallic covering.





# Wall tile Dover Arena y Dover Line Arena 31,6x90 cm Decorative profile pro-part line

### pro-part line

Brass profile with metallic covering. 8 mm decorative trim.



**pro-part brass line 11 mm** 8x11x2500 mm

B71342593 100120367


### pro-part line matt


Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass line matt 11 mm 8x11x2500 mm B71342633 100157798

Decorative profiles for wall tiling. Brass profiles with metallic covering.





Wall tile Samoa Silver31,6x90 & Ascot Arce Decorative profile pro-part coal

### pro-part coal

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass coal11 mm 8x11x2500 mm B71342638 100158264

Decorative profiles for wall tiling. Brass profiles with metallic covering.





Floor tile Dover 22x90 cm Decorative profile pro-part graphite matt

# **pro-part graphite**Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass graphite 11 mm 8x11x2500 mm

B71342590 100120366

### pro-part graphite matt

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass graphite matt 11 mm 8x11x2500 mm

B71342636 100158266

#### pro-part graphite matt line

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass graphite matt line 11 mm 8x11x2500 mm

B71342637 100158265

## Floor tile skirtings

Decorative skirtings for ceramics floors. LIFESTYLE design.





Floor tile Rodano Silver 59,6x59,6cm Decorative profile pro-skirting Graphite

### pro-skirting Graphite

Aluminium skirting with metallic covering. 60 mm



pro-skirting 60x10 Graphite aluminium 60x10x2500 mm

B71342626 100155326

pro-skirting corner Graphite aluminium

60x10x2500 mm

B71342627 100155327

pro-skirting Chrome

Metallic skirting with gloss finishing. 60 mm



pro-skirting 60x10 chromed aluminium

60x10x2500 mm

pro-skirting corner chromed aluminium 60x10x2500 mm


B79141525 100121362

Technical profiles Technical profiles

### pro-shower

New range of profiles for shower trays. Designed to cover the sides of shower trays; specially for shower with only one direction slope. There are also special trims for installing glass screens.

These profiles are made of stainless steel and are available in two different finishings: gloss and brushed.





pro-shower floor h

pro-shower wall

12,5

12,5 12,5 12,5

34

34

42 42

2,10

#### pro-shower floor

**Chromed stainless steel Brushed stainless steel** L (m) 12,5 12,5 12,5 12,5 B77199022 100159068 Left side 0,98 B77199021 100159066 Left side 0,98 0,98 0,98 B77199038 100160219 Right side B77199041 100160217 Right side 12,5 12,5 12,5 12,5 1,48 1,48 B77199025 100159069 Left side 1,48 B77199020 100159067 Left side B77199044 100160280 Right side 1,48 B77199040 100160218 Right side

pro-shower wall	

Chromed stainless steel						
KEA	SAP		h (mm)	L (m)		
B77199033	100159089	Left side	12,5	0,98		
B77199036	100160247	Right side	12,5	0,98		
B77199034	100159100	Left side	12,5	1,48		
B77199037	100160248	Right side	12,5	1,48		

#### **Brushed stainless steel**

KEA	SAP		h (mm)	L (m)	
B77199031	100159087	Left side	12,5	0,98	
B77199042	100160285	Right side	12,5	0,98	
B77199032	100159088	Left side	12,5	1,48	
B77199035	100160246	Right side	12,5	1,48	

Left side

Right side

Left side

Right side Front side

#### pro-shower glass





KEA	SAP		h (mm)	L (m)	KEA
B77199028	100159092	Left side	12,5	0,98	B77199026
B77199039	100160283	Right side	12,5	0,98	B77199043
B77199023	100159093	Left side	12,5	1,48	B77199024
B77199045	100160284	Right side	12,5	1,48	B77199046
B77199027	100159095	Front side	,	2,10	B77199029


### pro-balcony

Profiles for edging ceramic tile floors in terraces, balconies and other outdoor flooring. They protect the tile edges and avoid water filtrations both in floors and façades.

They have been designed to be used with lamitech n, the butech outdoor waterproofing and decoupling membrane. It also can be used as coping in bonded façades







#### pro-balcony P

**Anodized aluminum** 

KEA	SAP		h (mm
B79241146	100159112	Profile	1
PENDIENTE	100159114	Outer corner	1
PENDIENTE	100159116	Vertical inner corner	1
B79241151	100159113	Horizontal outer corner	1
R79241147	100159115	Vertical outer corner	1

#### pro-balcony G

Anodized aluminum							
KEA	SAP		h (mm				
B79241145	100159110	Profile	10,				
B79241148	100159111	corner	10,				

#### pro-balcony R

Anodized a	luminum		
KEA	SAP		h (mm
B79241150	100159117	Profile	12,
B79241149	100159119	corner 90°	12,
B79241154	100159118	corner 135°	12,



nodized aluminum				
ŒA	SAP		h (mm)	
379241150	100159117	Profile	12,5	
79241149	100159119	corner 90°	12,5	


Technical profiles


Technical profiles

## pro-dilata


New pro-dilata is a 5mm wide precast expansion joint for indoor ceramic floors.

Pro-dilata corner in a precast expansion joint for the perimeter of ceramic tile floors. It's only 5mm wide and specially designed for fitting with the skirting pieces.










pro-dilata

#### PVC 5 mm

h (mm
1
12,
1
12,
1
12,
1
12,



#### pro-dilata


#### PVC corner 5 mm

KEA	SAP		h (mm)
B79241137	100159071	light grey	10
B79241138	100159070	grey	10
B79241139	100159073	black	10
B79241141	100159072	beige	10

## pro-step W

Profile in wooden finish for stair steps. It is a good option instead of the special and expensive ceramic tiles for staircases.

Nice modern finish in straight lines, suitable both for ston-ker and par-ker.





#### pro-step W

# h W Toscana

#### toscana

KEA	SAP		h (mm)
B76211008	100158280	wenge	12,5
R76211007	100158269	mahogany	12.5



# **K** | C | C | N<sup>®</sup> Ventilated Façades

## **butech** projects



Balint house, Spain



# Krich® Ventilated Façades

## **butech** projects



Pharmacy office, Spain



# **ΚΓΙ** C Π<sup>®</sup> Ventilated Façades

## **butech** projects





Sostre, Spain



French Embassy in Bangkok, Thailand


# Krich® Ventilated Façades

## **butech** projects



Offices building, China







## **STON**-KER® Ventilated Façades

## **butech** projects



High School, USA



Police station, Spain



Indigo hotel, USA

## **STON**-KER® Ventilated Façades




International school, Spain



Jade museum, Costa Rica

## **XL**|**G**|**H**|**T**<sup>™</sup> Ventilated Façades


### **butech** projects





Sports center, Spain

### **ETIC** system



SATE© & XLight

### **System components**



**butech thermocem** is a cement based mortar single component modified with polymers used for bonding and plastering of polystyrene panels for outdoors thermal insulation systems.



**butech therm panel XPS** is a panel of extruded polystyrene, wrinkled and grooved surface and side tongued and grooved mechanized. The sizes of the panels are 1250x600 mm and are supplied in thicknesses from 30 to 120 mm.



**butech therm anclaje cerámico** is the system whereby the ceramic tiles are anchored to Xps panel and prevent its falling in case of wrong installation.



super-flex S2 is a highly deformable cementitious improved adhesive, of class C2TES2, according EN 12004. Suitable for fixing tiles over mortar coats in ETIC Systems. It's specially recommended for X-LIGHT from URBATEK (extra-slim and large size porcelain tiles).



**butech therm anclaje** is a plastic anchoring with an internal metallic screw which ensures the whole system supporting the building bonder. Depending on the thickness of the insulation, the thickness of existing coating or plaster and the possible regulation of the support, the distance from the anchor to use may be chosen.




**butech** projects

**colorstuk rapid** is a range of CG 2 class grouts (rated as per EN 13888), suitable for tile joints with a width of 2 to 15mm. Colorstuk rapid stands out for its easy use, resistance and colour fastness.



**butech therm mesh** is a fiberglass mesh treated with anti- alcali base used as reinforcement .

## **RAF:** Raised Access Flooring




Military archives, Spain



Court building, Spain

## **RAF:** Raised Access Flooring



Private house, United Kingdom




Son Moll Hotel terraces flooring, Spain

# **Suspended ceilings**



Court building, Spain

# **Suspended ceilings**



Restaurant, Spain



### Substrate preparation and tile fixing

Waterproofing substrates. Uncoupling substrates. Impact sound insulation. Cement-based adhesives for ceramic tiles.

#### one-flex n

**one flex n** is a type C2 TE S1 high-performance cement-based adhesive, as per EN 12004, for laying all kinds of ceramic tiles on the most used substrates in the building industry.

#### **Recommended applications:**

Indoor large format ceramic tile coverings. Indoor and outdoor porcelain tile coverings. High traffic floor tiles.



100004234

100004236

white - bag: 25 Kg B12903004 grey - bag: 25 Kg B12904005

#### super-flex S2

**super-flex S2** is a type C2 TE S2 high-performance no dust cement-based adhesive, as per EN 12004, for laying all kinds of ceramic tiles on the most used substrates in the building industry. Specially recommended for laying large format, thin porcelain tiles like XLIGHT from URBATEK.

#### **Recommended applications:**

Indoor coverings with XLIGHT ceramic tiles. Laying of ceramics in refurbishing jobs. Indoor and outdoor porcelain tile coverings.



White 15 Kg B12909017 100142757

#### imperbox

**imperbox** is paste, ready-to-use waterproofing system specially recommended for waterproofing plasterboard indoors. Compatible with type C2 cement-based adhesive as per EN 12004. Indoor use.

#### **Recommended applications:**

Private bathrooms. Built in showers.
Public toilets and showers.
Spas and premises in permanently damp environments.



Can: 10 kg B84906005 100006223

#### lamitech n

**lamitech n** is a multi-layer waterproof polymeric membrane, specially conceived to protect tiled floors from movements in the substrate. For professional use.

#### Recommended applications:

Uncoupling floor surfaces from the substrate. Laying ceramic tiles on top of deformable substrates (wood). Waterproofing and restoring terraces.



Roll: 5 sqm. B85900011 100089879

### Tile and mosaic grouting

Materials for tile grouting.

#### epotech crystal

**epotech crystal** is a new translucent epoxy putty for decorative joints with special finishes. Suitable for up to 5mm joint thickness. Professional use only.

#### **Recommended applications:**

Mosaic or natural stone wall coverings. Wall tiles and mosaics with glass elements. Par-ker floor coverings.



 epotech crystal bucket 3kg
 B42562025
 100126899

 epotech Gold 3kg
 B42562021
 100121692

 epotech Silver 3kg
 B42562022
 100121693



### Wet rooms and shower trays

Waterproofing membranes and shower trays.

#### imperband

imperband is a waterproof membrane, specially conceived for waterproofing indoor tiled walls and floors.

#### **Characteristics:**

Maximum waterproof protection using a product of a minimum thickness (0.5 mm). Tiled surfaces are laid directly on top of the waterproofing membrane. Good resistance to chemicals. Does not deteriorate over the course of time. Swift and easy to use.

#### **Recommended applications:**

For residential bathrooms and wet rooms. For public toilets and showers.



B84901001

B84901006

100006213

100006218

Roll: 30 sqm.

Roll: 5 sqm.

## kit imperband

imperband kits are waterproofing systems for wet rooms, made up of a PVC drain and incorporated waterproofing sheet.

#### **Characteristics:**

Full waterproof protection, since it prevents the possibility of faulty waterproofing at

Usable with vertical or horizontal drain outlets, since it has a 40 mm outlet adapter. Swift and easy to use.

#### **Recommended applications:**

Specially designed for waterproofing wet rooms. For wet areas.





#### **Drain grates**

Stainless steel grates for use with the drain in Imperband kits. Available in a round or linear design in a wide range of finishes and sizes. UPC Certified.



#### glass linear grate UPC

Designed with white glass.

#### glass linear grate UPC

Designed with black glass.

glass linear grate UPC

Designed with grey glass.

glass linear grate UPC

Drain grates. 10 x 10 cm

Designed with beige glass.



#### Standard classic design


\*\*\*\*

Sun radial design



100114593





The linear drain grates are availables in 120x10 y 59,6x10 cm, besides Gold linear grate which is only available in 59.6 cm

### **Self-leveling spacers**

Levelling system for ceramic tiles. Facilitates ceramic tile installation and ensures perfect flatness of the final coating. The system consists of a new type of height adjustable spacer that levels adjacent adjacent tiles and prevents further movements. Especially recommended when the features of the ceramics tiles, design, use.... require a perfect finished.

#### **Characteristics:**

Ensures levelling between tiles.

Avoid movements between tiles caused by laying mistakes or by ceramic retraction. Reduces the time of review and tiles installations.

#### **Recommended uses:**

Floor and wall tiles with minimum joint Large format tiles. Rectified wall tiles installation. Brick bond tiling.



Wedges	B83511063	100108031
1 mm Spacers (white)	B83511059	100108026
2 mm Spacers (black)	B83511061	100108029
3 mm Spacers (grey)	B83511067	100109070
Supplementary lift piece	B83511072	100123264
Leveling tool	B83510071	100095386
1 mm kit	B83511064	100108034
2 mm kit	B83511069	100109073
3 mm kit	B83511068	100109074



### **Underfloor heating**

The **electric radiant floor heating** from **butech**, also know as **ERFH**, is a heating system with an electric element for radiant floors, specially designed to provide comfort in ceramic floors in bathrooms and, in general, all kinds of floors walked barefoot. The **ERFH** system consists of an electric element and a digital thermostat timer.

#### **Characteristics:**

 $\begin{array}{ll} \mbox{Voltage:} & 230 \mbox{ V} - 50/60 \mbox{ Hz} \\ \mbox{Maximum charge:} & 16 \mbox{ Amp} \slash 230 \mbox{ V} \mbox{ max} \end{array}$ 

Maximum temperature: + 40°

#### Recommended uses:


Radiant heating in home refurbishings.

General heating of homes.

Comfort and auxiliary heating in bathrooms and dressing rooms.

Comfort and auxiliary heating in spas and premises with permanent dampness.





ERHF 1 m <sup>2</sup> (150w) n	B62902151	100086601
ERHF 2 m <sup>2</sup> (150w) n	B62902162	100086615
ERHF 3 m <sup>2</sup> (150w) n	B62902158	100086617
ERHF 4 m <sup>2</sup> (150w) n	B62902161	100086619
ERHF 5 m <sup>2</sup> (150w) n	B62902157	100086621
ERHF 6 m <sup>2</sup> (150w) n	B62902154	100086623
ERHF 7 m <sup>2</sup> (150w) n	B62902163	100086625
ERHF 8 m <sup>2</sup> (150w) n	B62902166	100086627
ERHF 10 m <sup>2</sup> (150w) n	B62902135	100073467
FRFH touch control thermostat	B62902168	100155713
ziii ii toddii toiitioi tiitiiiootat	B62902164	
ERHF digital thermostat n	002902104	100086628
ERHF analogic thermostat n	B62902119	100045634
ERHF reparation kit	B62901102	100004419

### concept shower trays

**concept** shower trays are a prefabricated system for creating built in shower trays. They include the slopes for the correct water drainage, as well as the drain and the waterproofing system. This system is supplied ready to use, which reduces working times while guarantees a perfect substrate for laying mosaic, natural stone or ceramics.

**concept** shower tray is light, resistant and safe, specially recommended in bathroom refurbishing projects.

Made with extruded polystyrene foam, includes more than 50% of recycled material.

#### Features:

- Prefabricated shower tray made of extruded polystyrene covered with cement mortar.
- It includes slopes for water drainage.
- Waterproofing: covering consisting of waterproof mortar.
- Available in two options:
- **Standard concept shower tray**: 45 mm high **Special concept shower tray**: 22 mm high
- Available for square as well as for linear drains.

Compression resistance (10% crush risk): ASTM D 1621 371 kN / m²
 Initial thermal conductivity: BS EN 13164 0.036 W/m°K
 Flammability: BS 476, part 5 P

Impact noise reduction: BS-ISO 140-8 dLw=21



#### Recommended use:

Specially designed for waterproofing built in showers.

#### Materials:

- Absorbent and non-absorbent ceramic tiles. Porcelain tiles with a water absorption < 0.5% as per EN-ISO 10545-3.
- Glass mosaic.
- Natural stone and marble not prone to staining.

#### Substrates:

- Concrete floor slabs.
- Screeded floors.
- Wooden floors
- Tongue and groove wooden floors

## **butech displays**

## **butech displays**

#### **Shower tray display**



#### **Grouting material samples case**



Grouting material samples case 450000229

#### Silicone samples case



Silicone samples case

450007436

#### Profile samples general box



Box 22x18x48 450005220

The pictures are not in the same scale

#### Profile samples case



Case	15x38	225003425
Case type 1	15x38	100115473
Case type 2	15x38	100115474
Case news	15x38	100121193

#### Profile samples complete set



#### **Base decorative profiles**



450008020 Base decorative profiles pro-mate 5
450008021 Base decorative profiles pro-part
450008022 Base decorative profiles pro-part Li

#### **Tebas panels**



Tebas panels measures:

1005x1924 mm 1005x2090 mm

#### **Grates display**



Display measures 220x110 cm 450008604

#### **General panel**



General panel 200 x 100 cm 450005749

#### **Systems display**



Display measures 220x110 cm 400019043

## **butech displays**

#### **Ceramic cleaner display**



206x100x31 cm 400011191

#### **UFH display**



118 x34x32 cm 400009752

#### Drain grills display



- Drain grills display with concept panel tray
   Drain grills display without concept panel tray
  - 1 260x132x80 cm 400007767 2 260x80x80 cm 400007768

#### **Profiles display**



Display 1 350x1500 cm 450008555 Display 2 350x1500 cm 450008556

## **butech displays**

#### butech display 1

#### **Technical table**





Profile and drain grates samples

400008840

450006380

Profiles, drain grates, subframe and tile samples 40

# Suitcase with ventilated façade & Krion mock-up



Maletin metalico maqueta FV Krion

### Suitcase with ventilated façade mock-up



Maletin metalico maqueta FV

450005998

## butech shop

### Basic Proposal

## profiles display

butech shop

## basic display



ADHESIVES						
KEA	SAP	Description	Ctd.			
B12903004	100004234	ONE-FLEX N BLANCO 25 KG	50			
B12906008	100004241	FR-ONE N BLANCO 25 KG	50			
B11906007	100043280	TIXOCEM PLUS 25KG	50			
GROUTING MATERIAL						
KEA	SAP	Description	Ctd.			
B22501001	100004294	COLORSTUK RAPID BLANCO N 5 KG	20			
B22502013	100004305	COLORSTUK RAPID GRIS N 5 KG	20			
B22502005	100004298	COLORSTUK RAPID ANTRACITA N 5 KG	20			
B22502011	100004304	COLORSTUK RAPID TABACO N 5 KG	20			
	BUTECH SELF-LEVELING SPACERS					
KEA	SAP	Description	Ctd.			
B83511064	100108034	KIT SISTEMA CRUCETA AUTONIVELANTE 1 MM	6			
B83511069	100109073	KIT SISTEMA CRUCETA AUTONIVELANTE 2 MM	2			
B83511062	100108032	CUÑA AUTONIVELANTE (BOLSA 300 UD)	2			
B83511058	100108027	CRUCETA AUTONIVELANTE 1MM (300 UD)	2			
B83511065	100108028	CRUCETA AUTONIVELANTE 1MM (500 UD)	2			
B83511060	100108030	CRUCETA AUTONIVELANTE 2MM (300 UD)	2			
B83510071	100095386	ALICATE PARA CRUCETA AUTONIVELANTE	2			
BUTECH SELF-LEVELING SPACERS						
KEA	SAP	Description	Ctd.			
B82902037	100103361	KIT IMPERBAND REHABILITACION 1,5X2,25 MT	4			
B82902038	100103360	KIT IMPERBAND ESTANDAD 1,5X2,25 MTS	2			
B82902021	100089372	REJILLA STANDARD SQUARED	6			
DISPLAY						
KEA	SAP	Description	Ctd.			
E10001101	400000196	EXPOSITOR DISPENSADOR DOBLE LIQUID/JUNTA	1			



	CHROMED PROFILES				
KEA	SAP	Description	Ctd.		
B73134004	100005371	PRO-PART LATON CROMADO 12.5 MM P. TONO 1	4		
B73134003	100005370	PRO-PART LATON CROMADO 11 MM P.	4		
B71134004	100004955	PRO-MATE 5 MM LATON CROMADO 12.5 MM	4		
B71132004	100004946	PRO-MATE 5 MM LATON CROMADO 11 MM	4		
B71133004	100004954	PRO-MATE 3 LATON CROMADO 12.5 MM	4		
B71133003	100004953	PRO-MATE 3 LATON CROMADO 10 MM	4		
ALIMINIUM PROFILES					
KEA	SAP	Description	Ctd.		
B73122004	100005325	PRO-PART ALUM ANODIZADO 12.5 MM PLATA	5		
B73122003	100005324	PRO-PART ALUM ANODIZADO 11 MM PLATA	5		
B71122004	100004902	PRO-MATE 3 ALUMINIO ANODIZADO PLATA 12.5	5		
B71123004	100004912	PRO-MATE 3 AL. LACADO 12.5 MM BLANCO	5		
B71124003	100004925	PRO-MATE 3 ALUM PULIDO BRILLANTE 10 MM	5		
INOX. PROFILES					
KEA	SAP	Description	Ctd.		
B73141010	100005378	PRO-PART ACERO INOX 11 MM NATURAL	5		
B73141011	100005379	PRO-PART ACERO INOX 12.5 MM NATURAL	5		
B71141003	100004958	PRO-MATE 2 INOX 12.5 MM INTERIOR (V2A)	5		
B71141010	100004965	PRO-MATE 2 INOX 12.5 MM FIN (V4A)	5		
DISPLAY					
KEA	SAP	Description	Ctd.		

E30001004 400000265 EXPOSITOR PERFILES FORUM PEQUEÑO

Basic Proposal





BY APPOINTMENT TO
H.R.H. THE PRINCE OF WALES
MANUFACTURER AND DISTRIBUTOR
OF CERAMIC TILES AND BUILDING PRODUCTS.
PORCELANOSA GROUP LIMITED

PORCELANOSA Grupo