KOHLER_® Commercial







Welcome. We invite you take a look at some of the innovative spaces around the world where you'll find KOHLER_® commercial plumbing products. Balancing style and comfort with tough, hard-working designs, our products help today's most forward-thinking designers and architects recognize their vision. To browse our complete commercial product line or view detailed specification information, visit us at KOHLER.com.



Why KOHLER?

For more than a 135 years, people have been choosing KOHLER plumbing products for their homes, their businesses, and their commercial ventures. After so many years, we're pretty sure we know why. It comes down to how we approach each product. For us, every product we design is a measure of the standards we set, in innovation, performance, quality and conservation. Every product we manufacture is evidence of our commitment to you. So year after year, we deliver incredible plumbing products for your projects.

Innovation

Research and development is where it all begins for us – understanding our customers' needs, studying design trends and drawing on technological advances in science and industry. Our designers and engineers spend their days exploring new technologies and materials, experimenting with shape and color, and working to make each design more efficient and sustainable, more durable, more intuitive and comfortable. Only the very best make it through final design review and into the KOHLER product portfolio.

Performance

We have built our reputation on the extraordinary performance of our products, so it's not enough to simply meet industry standards. We push performance further than our competitors by designing holistic solutions. We work not only to make each faucet and fixture the most efficient it can be, but to engineer our faucets and fixtures so they achieve peak efficiency together. All of our products, from faucets to toilets and flush valves, are put through a battery of tests developed by our engineers for durability, efficiency and consistency that go well beyond industry testing.

Quality

We have been designing and manufacturing plumbing products of incredible quality from start to finish for over 135 years. The tools may have changed, but the craftsmanship is much the same as it was in 1873. We still hand-pour brass castings, hand-enamel cast iron baths and handcraft vitreous and fireclay products. We use only premium materials, test our product designs in our IAPMO^{*} – certified testing lab, and inspect each product before we stamp it with the KOHLER name.

*International Association of Plumbing and Mechanical Officials

Conservation

Our commitment to the environment isn't anything new. It began in 1913 with a 50-year plan for the green spaces of the Kohler community and has evolved into a journey toward a net zero carbon footprint and a promise to create water-saving products that never sacrifice performance or design. We have delivered on that promise, and as a result, Kohler was named the 2008 and 2009 WaterSense[™] Manufacturing Partner of the Year and received the WaterSense 2010 Excellence Award for Strategic Collaboration.



Georgetown Brewing Company, Washington

The Georgetown Brewing Company brews some of Seattle's most requested craft beer and recently expanded its base of operation. The company's decision to purchase and renovate a larger space allowed the owners to create an environment that mirrors the company ethos – smart, current and hard-working. KOHLER₀ plumbing products fit right in. Using minimal amounts of water, our water-saving toilets and urinals can help Georgetown Brewing Company save thousands of gallons of water every year. Plus, the innovative technology of our Hybrid energy system paired with the adaptive infrared technology of Insight_m faucets offers long-lasting solutions that save energy and maintenance costs, savings that can be poured right back into the business of brewing up the next tasty ale.

georgetownbeer.com



Insight... Gooseneck

Touchless lavatory faucet with gooseneck design, Insight, technology and escutcheon plate. K-13474-CP / K-1313478-A-CP

Hudson...

Wall-mount lavatory K-2805-B-0





Bardon_™

 $^{1\!\!/_{\!\!8}}$ gpf urinal with top spud K-4904-ET-0

Tripoint_®

% gpf touchless urinal flushometer with Tripoint technology K-10949-CP

Kingston₃₄

1.28 gpf toilet with top spud and Stronghold elongated toilet seat with check hinge. K-4325-0 / K-4731-C-0

WAVE

1.28 gpf touchless toilet flushometer with WAVE technology K-10673-CP $\,$



1000

TACK

BREWING COMPANY.

A DEFENSION OF A

Proximity Hotel, North Carolina

h

Built for the express purpose of offering an intimate, luxurious experience in a truly sustainable environment, the Proximity Hotel has been recognized as "the 'greenest' hotel in America." KOHLER, plumbing products made it possible for the hotel to achieve LEED Platinum status, the United States Green Building Council's highest rating, and at the same time provide guests with an exceptional level of comfort and pleasure.

proximityhotel.com





Bancroft_®

Monoblock lavatory faucet with White ceramic lever handles K-10579-4P-CP


Farmington_® Self-rimming lavatory K-2905-1-0

Steward_o S Waterless urinal K-4917-0



Cimarron₀

Comfort Height_e elongated 1.6 gpf toilet and Brevia_e toilet seat K-3589-0 / K-4664-0



Flying Fish, Washington


Seattle's legendary Flying Fish restaurant has been ahead of its time since its inception 15 years ago, engaging in sustainable food sourcing before it was popular. Newly remodeled to stay relevant in the hip Belltown neighborhood, Flying Fish incorporated contemporary plumbing designs from Kohler that complement its green philosophy and its trendsetting look. And while water and energy conservation are key elements in the remodeled space, consistent, exceptional performance is just as essential. When everything runs smoothly behind the scenes, the focus can stay on creating and savoring the meals. Durable, reliable water-saving fixtures and faucets give Flying Fish the best of both worlds: conservation and performance.

flyingfishrestaurant.com





Insight_• Sculpted Touchless lavatory faucet with Insight_• technology K-13460-CP



Bardon_™ 1% gpf urinal with top spud K-4904-ET-0

Tripoint。 % gpf touchless urinal flushometer with Tripoint technology K-10949-CP



Kingston... 1.28 gpf toilet with top spud and Stronghold... elongated toilet seat with check hinge K-4325-0 / K-4731-C-0

WAVE

1.28 gpf touchless toilet flushometer with WAVE technology K-10673-CP

Citi Field, New York

Home of the New York Mets and a state-of-the-art ballpark, Citi Field was designed to offer baseball fans a comfortable, amenity-rich game day experience. With 646 toilets and capacity for 41,800 fans, the stadium requires tough, efficient KOHLER_a plumbing products, manufactured with premium materials and built to last in even the harshest environments while reducing water use. And just how much water can Citi Field save? Even if we conservatively estimate the water savings from our fixtures and faucets to 1 gallon per person per game, over the course of 81 home games with the stadium at three-fourths capacity, Citi Field would save over 2 million gallons of water. That's equal to a lifetime of drinking water for more than 50 people.

mets.com





Insight...Gooseneck Touchless lavatory faucet with Insight technology K-13472-CP

Caxton_◎ Undercounter lavatory K-2209-0

Steward_o Waterless urinal K-4918-0



Touchless Electronic faucet with Tripoint_® technology K-10950-4-CP

Hudson Wall-mount lavatory K-2805-0







Eckstein Hall, Marquette University, Wisconsin

Housing Marquette University's law school, Eckstein Hall is a bold addition to the Marquette campus and already an iconic structure in the Milwaukee landscape. Like any college environment, every component of Eckstein Hall needs to be virtually impervious to unrelenting traffic. All-brass KOHLER_® faucets and flush valves, and our incredibly durable fixtures will stand up to constant use semester after semester. And, with faucets powered by nearly maintenance-free, 30-year Hybrid energy systems, Eckstein Hall will be well on its way to outlasting its 86-year-old predecessor.

law.marquette.edu







Bardon_™ Urinal with top spud K-4960-ET-0

Tripoint_®

0.5 gpf touchless urinal flushometer with Tripoint technology K-10958-CP Sculpted Touchless lavatory faucet with Hybrid energy system and Insight, technology. K-7515-CP

Pennington_o Self-rimming lavatory K-2196-1N-0

Kingston... Elongated wall-hung toilet with top spud and Lustra... toilet seat K-4330-0 / K-4666-C-0

Tripoint

1.6 gpf touchless toilet flushometer with Tripoint Technology K-10957-CP

2000 Tower Oaks, Maryland

More than an office building, 2000 Tower Oaks is on the cutting edge of sustainable corporate architecture. Designed not only to be in tune with its environment but also to offer its inhabitants a balanced mind and body experience, 2000 Tower Oaks features water-saving KOHLER_a fixtures to reduce its impact on the natural world. Just one of our waterless urinals can save up to 40,000 gallons of water over the course of a year, helping 2000 Tower Oaks maintain it LEED Platinum status. Additionally, our WaterSense labeled toilets always deliver outstanding performance while using 20% less water than standard 1.6-gallon toilets. The compelling architecture of 2000 Tower Oaks requires equally inspiring interior spaces. Sporting clean, modern lines, our fixtures add to the timeless nature of the entire structure.

towercompanies.com



Commercial





Kingston_™

Elongated wall-hung toilet with rear spud and Lustra, toilet seat with extra-heavy check hinge K-4329-0 / K-4666-C-0 Steward_o S Waterless urinal K-4917-0 T

Lavatories	Single Hole Drilling	4" Centers	8" Centers		11½" Centers		Dimensions	Color		
Brenham	I		I		1		1	I		
Wall-Mount	K-1997-1	K-1997-4	4 K-1	997-8			21 ¹⁵ / ₁₆ " x 19 ³ / ₄ "	0, -	0, 47, 96, 33, G9, 7	
Wall-Mount with Shroud	K-1999-1	K-1999-4	4 K-1	999-8			21 ¹⁵ /16" x 19 ³ /4"	0, -	0, 47, 96, 33, G9, 7	
Chesapeake					1					
19" Wall-Mount	K-1722	K-1728	K-1	724			19¼" x 17¼" x 10½	б" О, •	47, 96, 33, G9, 7	
20" Wall-Mount	K-1721	K-1729	K-1	K-1723			20" x 18¼" x 10½"	0, -	0, 47, 96, 33, G9, 7	
Greenwich	1						1	1		
Wall-Mount	K-2031	K-2032	K-2	030			20¾" x 18¼" x 127/	б" О, •	47, 96, 33, G9, 7	
Kingston	I		I		1		1			
Wall-Mount	K-2007	K-2005		K-2006		21¼" x 18½" x 12¼"		0, 47, 96, 33, G9, 7		
Morningside					1					
Wheelchair	K-12638	K-12636		K-12		34	20" x 27" x 7½"	0, -	47, 96, 33, G9	
Soho	I	I	I				1	I		
Wall-mount	K-2084	K-2054	K-2	K-2053			20" x 18" x 7"	0, -	0, 47, 96, 33, G9, 7	
Faucets		red	per	a ed	1	Technology	S	1s inute	Required *Visit KOHLER.com	
Tauceis		AC Powered	DC Powered	Hybrid Powered		Techn	Finishes	Gallons Per Minute (GPM)	Required *Visit KOHLER.co	
Wall-Mount										
Falling Water with 81/4" Spout			K-T1183	6		Insight	CP, VS	0.5	*	
Memoirs with 81/8" Spout			K-T1183	3		Insight	CP, VS	0.5	*	
Purist with 81/4" Spout, 35° delivery			K-T1183	7		Insight	CP, VS	0.5	*	
Purist with 9" Spout, 90° delivery			K-T1183	Э		Insight	CP, VS	0.5	*	
Purist with 61/4" Spout, 35° delivery			K-T1184	ט		Insight	CP, VS	0.5	*	
Purist with 6" Spout, 90° delivery			K-T1184	1		Insight	CP, VS	0.5	*	
Deck-Mount										
Geometric		K-13469	K-13467	K-751	6	Insight	CP, VS	0.5	*	
eometric with Temperature Mixer		K-13468	K-13466	K-751	7	Insight	CP, VS	0.5	*	
Gooseneck		K-13475	K-13473	K-751	8	Insight	CP, VS	0.5	*	
Gooseneck with Temperature Mixer		K-13474	K-13472	K-751	9	Insight	CP, VS	0.5	*	
Sculpted		K-13463	K-13461	K-751	4	Insight	CP, VS	0.5	*	
Sculpted with Temperature Mixer		K-13462	K-13460	K-751	5	Insight	CP, VS	0.5	*	
							·		·	
Urinals	Model Number	Top Spud		Rear Spud		Dimensions		Color	Color	
Bardon										
1/8 GPF		K-490	4-ET	K-4904-ER		18" x 141/8" x 267/8"		0, 47, 96,	0, 47, 96, 33, G9, 7, 55	
0.5-1.0 GPF Bardon		K-496	0-ER	K-4960-ET		141/8" x 18" x 20"		0, 47, 96,	0, 47, 96, 33, G9, 7, 55	
Darfield	· · · · · · · · · · · · · · · · · · ·									
0.5-1.0 GPF		K-5024-T				14½" x 14" x 17½"		0, 47, 96,	0, 47, 96, 33, G9, 7	
Dexter										
0.5-1.0 GPF		K-501	6-ET	K-5016-ER		14½" x 13½	2" x 20%"	0, 47, 96,	33, G9, 7	
Steward										
S Waterless	K-4917					14¾" x 11"	x 23¾"	0, 47, 96,	33, 7	
						15%" x 15" x 29%"		0 47 06	0, 47, 96, 33, 7	
Waterless	K-4918					15%" x 15"	x 29%	0, 47, 90,	33,7	

Flushometers	Model Number	Technology	Finishes	Gallons Per Flush (GPF)
C-Powered Touchless Flushometers			L	I
.28 GPF Toilet	K-10673	WAVE	CP	1.28
.6 GPF Toilet	K-10674	WAVE	CP	1.6
5 GPF Washdown Urinal	K-10675	WAVE	CP	0.5
.0 GPF Washdown Urinal	K-10676	WAVE	CP	1.0
th (0.125) GPF Urinal	K-10949	Tripoint	CP	0.125
.28 GPF Toilet	K-10956	Tripoint	CP	1.28
.6 GPF Toilet	K-10957	Tripoint	CP	1.6
5 GPF Washdown Urinal	K-10958	Tripoint	CP	1.5
.0 GPF Blowout Urinal	K-10959	Tripoint	CP	1.0
.0 GPF Washdown Urinal	K-10960	Tripoint	CP	1.0
.0 GPF Siphon Jet Urinal	K-10961	Tripoint	CP	1.0
ptional Accessories for KOHLER Touchless Flushometers			·	· · · ·
th (0.125) GPF Urinal Retrofit Kit	K-10668	WAVE	CP	0.125
lushometer Installation Extension Kit	K-10162	WAVE or Tripoint	CP	NA
lushometer 12" Rough-In Kit	K-10313	WAVE or Tripoint	CP	NA

Toilets	Model Number	Top Spud	Rear Spud	Gallons Per Flush (GPF)	Style	Dimensions	Color
Anglesey							
Comfort Height Bowl	K-4352			1.28	Elongated Bowl	31½" x 14%" x 17"	-0, -47, -96, -33, -G9, -7
Bowl with Top Spud and Bedpan Lugs		K-4386		1.6	Elongated Bowl	27½" x 14½" x 15"	-0, -47, -96, -33, -G9, -7
Bowl with Integral Seat		K-4388	K-4398	1.6	Elongated Bowl	27½" x 14½" x 15"	-0, -47, -96, -33, -G9, -7
Bowl with Rear Spud, Less Seat			K-4396	1.6	Elongated Bowl	27½" x 14½" x 15"	-0, -47, -96, -33, -G9, -7
Barrington						·	
Pressure Lite 1.4 GPF Toilet	K-3554			1.4	Two-Piece Elongated Toilet	28¾" x 21¼" x 29¼"	0, 47, 96, 33, G9, 7
Pressure Lite Comfort Height 1.0 GPF Toilet	K-3578			1.0	Two-Piece Elongated Toilet	31½" x 21¼" x 31¼"	0, 47, 96, 33, G9, 7
Pressure Lite 1.0 GPF Toilet	K-3652			1.0	Two-Piece Elongated Toilet	28¾" x 21¼" x 29¼"	0, 47, 96, 33, G9, 7
Highline					1	1	
Comfort Height 1.4 GPF Toilet	K-3493			1.4	Two-Piece Elongated Toilet	301/8" x 211/4" x 311/4"	0, 47, 96, 33, G9, 7
Comfort Height 1.0 GPF Toilet	K-3519			1.0	Two-Piece Elongated Toilet	301/8" x 211/4" x 311/4"	0, 47, 96, 33, G9, 7
1.28 GPF Flushometer Bowl	K-4405			1.28	Elongated Bowl	28¼" x 14 ⁷ / ₈ " x 17½"	0, 47, 96, 33, G9, 7
Kingston							· ·
1.28 GPF Toilet Bowl		K-4325	K-4323	1.28	Wall-Hung Elongated Bowl	26½" x 16½" x 13¼"	0, 47, 96, 33, G9, 7
1.6 GPF Toilet Bowl		K-4330	K-4329	1.6	Wall-Hung Elongated Bowl	25%" x 16¾" x 13¼"	0, 47, 96, 33, G9, 7
Wellcome						1	
1.6 GPF Toilet Bowl		K-4349	K-4350	1.6	Elongated Bowl	26" x 14½" x 14¾"	-0, -47, -96, -33, -G9, -7
Wellworth					1	I	
Pressure Lite 1.4 GPF Toilet	K-3505			1.4	Two-Piece Elongated Toilet	30¼" x 21¼" x 29¼"	0, 47, 96, 33, G9, 7
Pressure Lite 1.0 GPF Comfort Height Toilet	K-3531			1.0	Two-Piece Elongated Toilet	301/8" x 211/4" x 291/4"	0, 47, 96, 33, G9, 7
1.28 GPF Flushometer Bowl	K-4406			1.28	Elongated Bowl	30¼" x 21¼" x 29¼"	0, 47, 96, 33, G9, 7



Form 10-1138-1210 © 2010 by Kohler Co. Kohler Co., Kohler, Wisconsin 53044 Printed in U.S.A. 1-800-4-KOHLER (1-800-456-4537)